The British Journal of Clinical Pharmacology

Volume 35
1993

Published for
The British Pharmacological Society by
Blackwell Scientific Publications

© 1993 Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
25 John Street, London WC1N 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
Suite 500, 5th Floor, 238 Main Street, Boston, MA 02142, USA
54 University Street, Carlton, Victoria 3053, Australia

Other Editorial Offices:
Arnette SA
2, rue Casimir-Delavigne
75006 Paris
France

Blackwell Wissenschaft
Meinekestrasse 4
D-1000 Berlin 15
Germany

Blackwell MZV
Feldgasse 13
A-1238 Wien
Austria

Published on behalf of
The British Pharmacological Society

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of the copyright owner. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Scientific Publications for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $10.00 per copy is paid directly to CCC, 27 Congress Street, Salem, MA 01970, USA. 0306-5251/93 $10.00/0. (For copying beyond that permitted by Sections 107 or 108 of the US Copyright Law). This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Special requests should be addressed to the Editor.

Typeset by Oxprint Ltd, Oxford
Printed in Great Britain
at the University Press, Cambridge

Contents

Number 1, January 1993

Review

1 Isoenzyme selective phosphodiesterase inhibitors: potential clinical uses: *I. P. Hall*

Papers

8 A comparison of the effects of captopril and enalapril on skin responses to intradermal bradykinin and skin blood flow in the human forearm: *T. C. Li Kam Wa, E. D. Cooke & P. Turner*

14 Impairment of psychomotor function at modest plasma concentrations of carbamazepine after administration of the liquid suspension to naive subjects: *J. D. Wildin, B. J. Pleuvry & G. E. Mawer*

20 The concentration-dependent disposition of intravenous *p*-aminohippurate in subjects with normal and impaired renal function: *L. F. Prescott, S. Freestone & J. A. N. McAuslane*

30 Inhibition of human cytochrome P450 2D6 (CYP2D6) by methadone: *D. Wu, S.V. Otton, B.A. Sproule, U. Busto, T. Inaba, W. Kalow & E. M. Sellers*

35 The lipolytic effect of β_1- and β_2-adrenoceptor activation in healthy human volunteers: *C. A. Haffner, M. J. Kendall, S. Maxwell & B. Hughes*

40 Metabolic effects of lacidipine: a placebo-controlled study using the euglycaemic hyperinsulinaemic clamp: *A. D. Morris, R. Donnelly, J. M. C. Connell & J. L. Reid*

46 Therapeutic consultation: a necessary adjunct to independent drug information: *C. Rodríguez, J. M. Arnau, X. Vidal & J. R. Laporte*

Short reports

51 Evening *vs* morning isradipine sustained release in essential hypertension: a double-blind study with 24 h ambulatory monitoring: *R. Fogari, E. Malacco, F. Tettamanti, A.E. Gnemmi & M. Milani*

55 Effect of an inhaled histamine H_3-receptor agonist on airway responses to sodium metabisulphite in asthma: *B. J. O'Connor, J. M. Lecomte & P. J. Barnes*

58 Paracetamol elimination in patients with non-insulin dependent diabetes mellitus: *F. Kamali, S. H. L. Thomas & R. E. Ferner*

62 The effects of liver and renal disease on stereoselective serum binding of flurbiprofen: *R. Blouin, I. Chaudhary, K. Nishihara & S. Cox*

Proceedings

65 Proceedings of the British Pharmacological Society (Queen Mary and Westfield College, University of London, 9–11 September 1992)

Number 2, February 1993

Review

93 Treatment of vasculitis: *H. G. Taylor & A. Samanta*

Papers

105 The effects of anti-hypertensive medication on learning and memory: *J. Powell, A. Pickering, M. Wyke & T. Goggin*

114 CNS-related performance and haemodynamics of metoprolol-Oros and propranolol after single and 3 days dosing in healthy volunteers: *A. L. van Steveninck, M. S. M. Pieters, H. C. Schoemaker, D. D. Breimer & A. F. Cohen*

121 Comparison of quinapril and atenolol as single drugs or in combination with hydrochlorothiazide in moderate to severe hypertensives, using automated ambulatory monitoring: *Y. Lacourcière, J. Lefebvre, P. Provencher & L. Poirier*

128 Effect of renal function on the pharmacokinetics and pharmacodynamics of trandolapril: *E. G. Bevan, G. T. McInnes, J. C. Aldigier, J. J. Conte, J. P. Grunfeld, S. J. Harper, B. H. Meyer, N. Pauly & R. Wilkinson*

136 The bioavailability of digoxin from three oral formulations measured by a specific h.p.l.c. assay: *A. F. Cohen, R. Kroon, H. C. Schoemaker, D. D. Breimer, A. Van Vliet-Verbeek & H. C. Brandenburg*

143 Effects of an oral dose of isosorbide dinitrate on platelet function and fibrinolysis in healthy volunteers: *N. H. Wallén, P. T. Larsson, A. Bröijersén, A. Andersson & P. Hjemdahl*

152 Patient knowledge about diuretic prescription: *E. G. Bevan, E. M. Currie, S. M. McGhee & G. T. McInnes*

156 A study of the interaction between omeprazole and cyclosporine in renal transplant patients: *I. Blohmé, J.-P. Idström & T. Andersson*

161 Molecular heterogeneity of the XbaI defined 44kb allele of the CYP2D locus within the Caucasian population: *C. Mura, N. Gerard, M. Vincent-Viry, M. M. Galteau, E. Jacqz-Aigrain & R. Krishnamoorthy*

166 The time course of action of three differing doses of noberastine, a novel H_1-receptor antagonist, on histamine-induced skin wheals and the relationship to plasma drug concentrations in normal human volunteers: *R. Wood-Baker, M. B. Emanuel, K. Hutchinson & P. H. Howarth*

171 Plasma concentrations and urinary excretion of histamine after inhalation and subcutaneous injection of histamine: *R. D. Murdoch, L. J. F. Youlten, A. J. Williams & K. Howland*

178 Capsaicin-densensitization to the human nasal mucosa selectively reduces pain evoked by citric acid: *P. Geppetti, M. Tramontana, E. Del Bianco & B. M. Fusco*

184 Modulation of capsaicin induced airway reflexes in humans: effect of monoamine oxidase inhibition: *N. B. Choudry, J. Studham, D. Harland & R. W. Fuller*

188 Assessment of the precorneal residence of an

ophthalmic ointment in healthy subjects: *J. L. Greaves, C. G. Wilson & A. T. Birmingham*
193 Interactions among primaquine, malaria infection and other antimalarials in Thai subjects: *G. Edwards, C. S. McGrath, S. A. Ward, W. Supanaranond, S. Pukrittayakamee, T. M. E. Davis & N. J. White*
199 The measurement of a new antimicrobial quinolone in hair as an index of drug exposure: *T. Uematsu, M. Nakano, H. Akiyama & M. Nakashima*
204 Patients' attitudes to participation in clinical trials: *E. G. Bevan, L. C. Chee, S. M. McGhee & G. T. McInnes*

Short report
209 Effect of β-adrenoceptor blockade on atrial natriuretic peptide levels during exercise in angina pectoris: *M. Riley, J. S. Elborn, G. Onuoha, C. Erwin, C. Shaw, M. M. Khan, C. F. Stanford & D. P. Nicholls*

213 Erratum

Number 3, March 1993

Personal view
217 A great thirst for knowledge: *H. McGavock*

Review
219 The gastrointestinal toxicity of aspirin: an overview of randomised controlled trials: *P. J. Roderick, H. C. Wilkes & T. W. Meade*

Papers
227 The differential effect of aspirin on human platelet activation in aspirin-sensitive asthmatics and normal subjects: *M. L. Taylor, G. A. Stewart & P. J. Thompson*
235 Equipotent inhibition by R(−)-, S(+)- and racemic ibuprofen of human polymorphonuclear cell function *in vitro*: *M. Villanueva, R. Heckenberger, H. Strobach, M. Palmér & K. Schrör*
243 The effect of L-leucine on the absorption of levodopa, studied by regional jejunal perfusion in man: *H. Lennernäs, D. Nilsson, S.-M. Aquilonius, Ö. Ahrenstedt, L. Knutson & L. K. Paalzow*
251 Endogenous digoxin-like immunoreactivity during pregnancy and at birth: *J. M. Lupoglazoff, E. Jacqz-Aigrain, B. Guyot, O. Chappey & Ph. Blot*
255 Pharmacokinetics of 2-fluorodideoxycytidine (2FddC) in patients infected with human immunodeficiency virus: *P. E. O. Williams, G. J. Muirhead, D. Sereni, F. S. Rousseau, K. Edelman & M. Hooker*
261 Comparison of the effect of oral sulphasalazine, sulphapyridine and 5-amino-salicylic acid on the *in vivo* antibody response to oral and systemic antigen: *P. Sheldon & P. Pell*
265 A comparison of the pharmacokinetic and pharmacodynamic properties of quinine and quinidine in healthy Thai males: *J. Karbwang, T. M. E. Davis, S. Looareesuwan, P. Molunto, D. Bunnag & N. J. White*
272 Diazepam effects on the performance of healthy subjects are not enhanced by treatment with the antihistamine ebastine: *M. J. Mattila, K. Aranko & T. Kuitunen*
278 A placebo controlled double-blind evaluation of the pharmacodynamics of fengabine *vs* amitriptyline following single and multiple doses in elderly volunteers: *D. B. Fairweather, J. S. Kerr, S. Hilton & I. Hindmarch*
284 The effects of simvastatin and pravastatin on objective and subjective measures of nocturnal sleep: a comparison of two structurally different HMG CoA reductase inhibitors in patients with primary moderate hypercholesterolaemia: *S.-Å. Eckernäs, B.-E. Roos, P. Kvidal, L.-O. Eriksson, G. A. Block, R. P. Neafus & J. R. M. Haigh*
290 Pharmacokinetics and biochemical efficacy after single and multiple oral administration of losartan, an orally active nonpeptide angiotensin II receptor antagonist, in humans: *M. Ohtawa, F. Takayama, K. Saitoh, T. Yoshinaga & M. Nakashima*

Short reports
299 Haemodynamics and hormonal responses to oral enalapril in salt depleted normotensive man: *R. J. MacFadyen, H. L. Elliott, P. A. Meredith & J. L. Reid*
302 The influence of chronic administration of calcium carbonate on the bioavailability of oral ciprofloxacin: *J. Sahai, D. P. Healy, J. Stotka & R. E. Polk*
305 The reproducibility of quinine bioavailability: *G. Paintaud, G. Alván & Ö. Ericsson*
308 Food intake increases the relative oral bioavailability of vanoxerine: *S. H. Ingwersen, T. G. K. Mant & J. J. Larsen*
311 A simple collection method for saliva in children: potential for home monitoring of carbamazepine therapy: *K. Y. Chee, D. Lee, D. Byron, D. Naidoo & A. Bye*
314 Morphine glucuronidation in premature neonates: *R. Hartley, M. Quinn, M. Green & M. I. Levene*
318 Bronchodilating effects of the novel potassium channel opener HOE 234 in human airways *in vitro*: *M. Miura, M. G. Belvisi, J. K. Ward, S. Tadjkarimi, M. H. Yacoub & P. J. Barnes*
321 Potentiation of the hypoglycaemic response to glipizide in diabetic patients by histamine H_2-receptor antagonists: *J. Feely, W. C. J. Collins, M. Cullen, A. H. El Debani, R. S. MacWalter, N. R. Peden & I. H. Stevenson*
324 Magnesium sulphate increases lymphocyte adenosine 3′:5′-cyclic monophosphate in humans: *U. von Mandach, M. Bürgi, R. Huch & A. Huch*
327 High clearance of (S)-warfarin in a warfarin-resistant subject: *H. O. Hallak, P. J. Wedlund, M. W. Modi, I. H. Patel, G. L. Lewis, B. Woodruff & A. A. Trowbridge*
331 The *N*-demethylation of imipramine correlated with the oxidation of S-mephenytoin (S/R-ratio). A population study: *E. Skjelbo, L. F. Gram & K. Brøsen*
335 The pharmacokinetics and pharmacodynamics of dermatan sulphate MF701 during haemodialysis for chronic renal failure: *F. Gianese, M. T. Nurmohamed, B. P. Imbimbo, H. R. Büller, R. J. Berckmans & J. W. Ten Cate*

Book review
340 Adverse reactions to non-steroidal anti-inflammatory drugs: clinical pharmacoepidemiology, edited by M. Kurowski: *T. Pullar*

Number 4, April 1993

Leading article

341 The role of clinical pharmacology in the development and assessment of drugs for cerebrovascular disease and stroke: *J. L. Reid*

Review

343 Non-steroidal anti-inflammatory drugs and angiotensin converting enzyme inhibitors: a commonly prescribed combination with variable effects on renal function: *N. D. C. Sturrock & A. D. Struthers*

Methods

349 Disagreement between standard transthoracic impedance cardiography and the automated transthoracic electrical bioimpedance method in estimating the cardiovascular responses to phenylephrine and isoprenaline in healthy man: *C. De Mey & D. Enterling*

Papers

357 Responsiveness of human isolated bronchial segments and its relationship to epithelial loss: *T. I. Omari, M. P. Sparrow & H. W. Mitchell*

366 Partial mediation by nitric oxide of the relaxation of human isolated detrusor strips in response to electrical field stimulation: *M. J. James, A. T. Birmingham & S. J. Hill*

373 A comparison of the potassium and magnesium-sparing properties of amiloride and spironolactone in diuretic-treated normal subjects: *D. L. Murdoch, G. Forrest, D. L. Davies & G. T. McInnes*

379 Defining small differences in efficacy between anti-Parkinsonian agents using gait analysis: a comparison of two controlled release formulations of levodopa/decarboxylase inhibitor: *C. Weller, C. J. A. O'Neill, A. Charlett, S. G. Bowes, A. Purkiss, P. W. Nicholson, R. J. Dobbs & S. M. Dobbs*

386 Human studies on abecarnil, a new β-carboline anxiolytic: safety, tolerability and preliminary pharmacological profile: *T. Duka, B. Schütt, W. Krause, R. Dorow, S. McDonald & K. Fichte*

395 The effects of BRL 46470A, a novel 5-HT_3 receptor antagonist, and lorazepam on psychometric performance and the EEG: *C. G. G. Link, T. J. Leigh & J. K. Dennison*

400 A population based case-cohort study of drug-induced anaphylaxis: *M. M. Van Der Klauw, B. H. Ch. Stricker, R. M. C. Herings, W. S. Cost, H. A. Valkenburg & J. H. P. Wilson*

409 The pharmacokinetics of methotrexate and its 7-hydroxy metabolite in patients with rheumatoid arthritis: *P. Seideman, O. Beck, S. Eksborg & M. Wennberg*

413 Stereoselective sulphate conjugation of salbutamol in humans: comparison of hepatic, intestinal and platelet activity: *U. K. Walle, G. R. Pesola & T. Walle*

419 The pharmacokinetics, tolerability and pharmacodynamics of tucaresol (589C80; 4[2-formyl-3-hydroxyphenoxymethyl] benzoic acid), a potential anti-sickling agent, following oral administration to healthy subjects: *P. E. Rolan, J. E. Parker, S. J. Gray, B. C. Weatherley, J. Ingram, W. Leavens, R. Wootton & J. Posner*

426 The metabolism of aprindine in relation to the sparteine/debrisoquine polymorphism: *T. Ebner & M. Eichelbaum*

431 Inhibitory effect of grapefruit juice and its bitter principal, naringenin, on CYP1A2 dependent metabolism of caffeine in man: *U. Fuhr, K. Klittich & A. Horst Staib*

Short reports

437 The effect of tocainide on theophylline metabolism: *C-M. Loi, X. Wei, B. M. Parker, M. R. Korrapati & R. E. Vestal*

441 The pharmacokinetics of intravenous ondansetron in patients with hepatic impairment: *J. C. Blake, J. L. Palmer, N. A. Minton & A. K. Burroughs*

444 The pharmacokinetics of quinine in patients with hepatitis: *J. Karbwang, A. Thanavibul, P. Molunto & K. Na Bangchang*

Letter to the Editors

447 *In vitro* interaction between cyclosporin A and macrolide antibiotics: *F. Marre, G. de Sousa, A. M. Orloff & R. Rahmani*

Number 5, May 1993

Leading article

449 Good Clinical Practice: a question of balance: *A. E. Wallnöfer & A. F. Cohen*

Papers

451 The use of proprietary medicines by patients presenting with peptic ulcer haemorrhage: *J. F. Marriott, P. A. Asquith & C. J. Shorrock*

455 Non-steroidal anti-inflammatory drugs and hypertension in the elderly: a community-based cross-sectional study: *A. G. Johnson, L. A. Simons, J. Simons, Y. Friedlander & J. McCallum*

461 Dose-dependent heart rate reducing effect of nizatidine, a histamine H_2-receptor antagonist: *H. Hinrichsen, A. Halabi, G. Fuhrmann & W. Kirch*

467 The pharmacokinetics of naproxen, its metabolite *O*-desmethylnaproxen, and their acyl glucuronides in humans. Effect of cimetidine: *T. B. Vree, M. Van Den Biggelaar-Martea, C. P. W. G. M. Verwey-Van Wissen, M. L. Vree & P. J. M. Guelen*

473 The effects of 5-HT and m-chlorophenylpiperazine (m-CPP) on the efflux of [^{3}]-5-HT from human perfused platelets: *J. G. Carver, D. G. Grahame-Smith, E. S. Johnson & Z. Madgwick*

479 Plasma concentrations and ocular effects of cyclopentolate after ocular application of three formulations: *K. Lahdes, R. Huupponen, T. Kaila, D. Monti, M. F. Saettone & L. Salminen*

485 Neutrophils and mononuclear cells from patients with chronic granulomatous disease release nitric oxide: *A. Condino-Neto, M. N. Muscará, A. S. Grumach, M. M. S. Carneiro-Sampaio & G. De Nucci*

491 A comparison of amlodipine with enalapril in the treatment of moderate/severe hypertension: *G. Fowler, J. Webster, D. Lyons, K. Witte,*

W. A. Crichton, T. A. Jeffers, E. A. Wickham, S. S. Sanghera, R. Cornish & J. C. Petrie

499 A comparison of amlodipine with enalapril in the treatment of isolated systolic hypertension: *J. Webster, G. Fowler, T. A. Jeffers, D. Lyons, K. Witte, W. A. Crichton, E. A. Wickham, S. S. Sanghera, R. Cornish & J. C. Petrie*

507 Receptor occupancy in lumbar CSF as a measure of the antagonist activity of atenolol, metoprolol and propranolol in the CNS: *T. Kaila & R. Marttila*

517 The effect of captopril on the superior mesenteric artery and portal venous blood flow in normal man: *K. Ray-Chaudhuri, T. Thomaides, S. Maule, L. Watson, S. Lowe & C. J. Mathias*

Short reports

525 Lack of effect of enalaprilat on the action of vasoactive intestinal polypeptide in the human forearm: *J. R. Cockcroft, P. Chowienczyk, T. G. Elliott & J. M. Ritter*

528 Inhibition of angiotensin converting enzyme with enalapril maleate in infants with congestive heart failure: *J. P. Dutertre, E. M. Billaud, E. Autret, A. Chantepie, I. Oliver & J. Laugier*

Proceedings

531 Proceedings of the British Pharmacological Society (5–7 January 1993, University of Cambridge)

Number 6, June 1993

Review

557 The treatment of heart failure—what next?: *R. H. Davies & D. J. Sheridan*

Methods series

565 Diagnosis and treatment of human hydatidosis: *H. Wen, R. R. C. New & P. S. Craig*

Leading article

575 Bridging the gap between clinical pharmacology and rational drug prescribing: *L. E. Ramsay*

Methods

577 Presenting clinical pharmacology and therapeutics: general introduction: *T. P. G. M. De Vries*

581 Presenting clinical pharmacology and therapeutics: a problem based approach for choosing and prescribing drugs: *T. P. G. M. De Vries*

587 Presenting clinical pharmacology and therapeutics: the course in pharmacotherapeutics: *T. P. G. M. De Vries*

591 Presenting clinical pharmacology and therapeutics: evaluation of a problem based approach for choosing drug treatments: *T. P. G. M. De Vries*

Papers

599 United Kingdom Product Licence applications involving new active substances, 1987–1989: their fate after appeals: *M. D. Rawlins & D. B. Jefferys*

603 Variability in the stereoselective disposition of ibuprofen in patients with rheumatoid arthritis: *G. Geisslinger, K. P. Stock, D. Loew, G. L. Bach & K. Brune*

609 Studies on the renal excretion of the acyl glucuronide, phenolic glucuronide and sulphate conjugates of diflunisal: *R. G. Dickinson, A. R. King, G. E. McKinnon, W. D. Hooper, M. J. Eadie & G. K. Herkes*

615 The pharmacokinetics of remoxipride and metabolites in patients with various degrees of renal function: *G. Movin-Osswald, J. Boelaert, M. Hammarlund-Udenaes & L. R. Nilsson*

623 Effects of dilevalol (R,R-labetalol) compared with nifedipine on heart rate, blood pressure and muscle blood flow at rest and on exercise in hypertensive patients: *T. Walley, Y. Tsao, A. Scott, E. MacKay, M. Vandenburg & A. Breckenridge*

629 Effects of terbutaline on basal thermogenesis of human skeletal muscle and Na-K pump after 1 week of oral use—a placebo controlled comparison with propranolol: *B. Fagher, H. Liedholm, A. Sjögren & M. Monti*

637 Platelet activating factor, lyso-platelet activating factor and arachidonic acid release in normal human skin and the influence of topical steroid treatment: *R. M. Barr, F. Lawlor, M. R. Judge, P. Courtney, R. Barlow, A. Kobza Black, A. I. Mallet & M. W. Greaves*

643 Cicaprost, an orally active prostacyclin analogue: its effects on platelet aggregation and skin blood flow in normal volunteers: *J. J. F. Belch, M. McClaren, C. S. Lau, I. R. MacKay, A. Bancroft, J. McEwen & J. M. Thompson*

Short reports

649 Moclobemide treatment causes a substantial rise in the sparteine metabolic ratio: *L. F. Gram, K. Brøsen and the Danish University Antidepressant Group*

653 The multiple dose pharmacokinetics of proguanil: *N. A. Helsby, G. Edwards, A. M. Breckenridge & S. A. Ward*

657 Individual theophylline dosing based on bioelectrical impedance analysis: *J. S. Sidhu, E. J. Triggs, B. G. Charles & B. A. Smithurst*

661 Cimetidine does not influence the metabolism of the H_1-receptor antagonist ebastine to its active metabolite carebastine: *J. Van Rooij, H. C. Schoemaker, R. Bruno, J. F. Reinhoudt, D. D. Breimer & A. F. Cohen*

664 A clinical trial of a slow-release formulation of acetylsalicylic acid in patients at risk for preeclampsia: *J. Shen, S. Wanwimolruk, P. D. Wilson, R. J. Seddon & M. S. Roberts*

Letters to the Editors

669 Back-estimation of blood alcohol concentration: *A. W. Jones: I. H. Stevenson & T. A. Moreland*

Indexes

671 Author and subject indexes to Volume 35